

PLANT SPECIES LIST: SYDNEY TURPENTINE IRONBARK FOREST

Sydney Olympic Park supports 20 hectares of remnant and regenerating Sydney Turpentine Ironbark Forest. Thirteen hectares of this community occurs within Newington Nature Reserve, and the remainder adjoins the Reserve.

This ecological community is classified as critically endangered by state and federal legislation.

A total of 243 native plant species have been recorded within the forest community, and new species are continuing to be identified. This species list is based on the results of botanical surveys conducted in 2002, 2007, 2012 and 2018 as well as incidental records.

| FAMILY | SPECIES | COMMON NAME |
|---------------------|----------------------------------|--------------------------|
| FILICOPSIDA | | |
| Adiantaceae | Adiantum aethiopicum | Common Maidenhair Fern |
| Cyatheaceae | Cyathea sp. | |
| Lindsaeaceae | Lindsaea microphylla | Lacy Wedge Fern |
| Schizaeaceae | Cheilanthes sieberi ssp. sieberi | Mulga Fern |
| CYCADOPSIDA | | |
| Zamiaceae | Macrozamia spiralis | |
| DICOTYLEDONS | | |
| Acanthaceae | Brunoniella pumilio | Dwarf Blue Trumpet |
| Acanthaceae | Pseuderanthemum variabile | Pastel Flower |
| Amaranthaceae | Alternanthera nana | Hairy Joyweed |
| Apiaceae | Centella asiatica | |
| Apiaceae | Hydrocotyle peduncularis | |
| Apocynaceae | Parsonsia straminea | Common Silkpod |
| Araliaceae | Astrotricha latifolia | Broad-leaved Sneeze Bush |
| Araliaceae | Polyscias elegans | |
| Araliaceae | Polyscias sambucifolia | Elderberry Panax |
| Asclepiadaceae | Tylophora barbata | Celery Wood |
| Asteraceae | Calotis cuneifolia | Blue Burr-daisy |
| Asteraceae | Calotis lappulacea | Yellow Burr-daisy |
| Asteraceae | Cassinia arcuata | |
| Asteraceae | Euchiton gymnocephalus | Cudweed |
| Asteraceae | Ozothamnus diosmifolius | Dogwood |

| | | |
|---------------------|-------------------------------------------------------------------|-----------------------|
| Asteraceae | <i>Senecio hispidulus</i> | |
| Asteraceae | <i>Senecio quadridentatum</i> | |
| Asteraceae | <i>Vernonia cinerea</i> | |
| Asteraceae | <i>Sigesbeckia orientalis</i> | Indian Weed |
| Asteraceae | <i>Vittadinia cuneata</i> | Fuzzweed |
| Asteraceae | <i>Vittadinia</i> sp. | |
| Bignoniaceae | <i>Pandorea pandorana</i> | Wonga Wonga Vine |
| Campanulaceae | <i>Wahlenbergia gracilis</i> | Native Bluebell |
| Cannabaceae | <i>Trema tomentosa</i> | Native Peach |
| Cassythaceae | <i>Cassytha glabella</i> | Slender Devil's Twine |
| Cassythaceae | <i>Cassytha pubescens</i> | Devil's Twine |
| Casuarinaceae | <i>Allocasuarina littoralis</i> | Black She-oak |
| Casuarinaceae | <i>Allocasuarina torulosa</i> | Forest Oak |
| Casuarinaceae | <i>Casuarina glauca</i> | Swamp Oak |
| Celastraceae | <i>Cassine australis</i> | |
| Celastraceae | <i>Maytenus silvestris</i> | |
| Chenopodiaceae | <i>Einadia hastata</i> | |
| Chenopodiaceae | <i>Einadia nutans</i> ssp. <i>linifolia</i> | |
| Chenopodiaceae | <i>Einadia nutans</i> ssp. <i>nutans</i> | |
| Chenopodiaceae | <i>Einadia trigonos</i> | |
| Clusiaceae | <i>Hypericum gramineum</i> | Small St John's Wort |
| Convolvulaceae | <i>Convolvulus erubescens</i> | Bindweed |
| Convolvulaceae | <i>Dichondra repens</i> | Kidney Weed |
| Convolvulaceae | <i>Polymeria calycina</i> | |
| Dilleniaceae | <i>Hibbertia aspera</i> | Rough Guinea Flower |
| Dilleniaceae | <i>Hibbertia diffusa</i> | |
| Droseraceae | <i>Drosera auriculata</i> | Sundew |
| Epacridaceae | <i>Astroloma humifusum</i> | |
| Epacridaceae | <i>Lissanthe strigosa</i> | |
| Epacridaceae | <i>Leucopogon juniperinus</i> | Bearded Heath |
| Euphorbiaceae | <i>Breynia oblongifolia</i> | Breynia |
| Euphorbiaceae | <i>Glochidion ferdinandi</i> var <i>ferdinandi</i> | Cheese Tree |
| Euphorbiaceae | <i>Homalanthus nutans</i> Syn. <i>Omalianthus populifolius</i> | Bleeding Heart |
| Euphorbiaceae | <i>Phyllanthus gasstroemii</i> | |
| Euphorbiaceae | <i>Phyllanthus hirtellus</i> | |
| Euphorbiaceae | <i>Phyllanthus virgatus</i> | |
| Euphorbiaceae | <i>Poranthera microphylla</i> | |
| Fabaceae: Faboideae | <i>Bossiaea prostrata</i> | |
| Fabaceae: Faboideae | <i>Daviesia ulicifolia</i> | Gorse Bitter Pea |
| Fabaceae: Faboideae | <i>Desmodium varians</i> | |
| Fabaceae: Faboideae | <i>Dillwynia sieberi</i> | Prickly Parrot Pea |

| | | |
|-----------------------|------------------------------------------------------|-------------------------|
| Fabaceae: Faboideae | Glycine clandestina | Love Creeper |
| Fabaceae: Faboideae | Glycine microphylla | |
| Fabaceae: Faboideae | Glycine tabacina | Love Creeper |
| Fabaceae: Faboideae | Gompholobium minus | Wedge-pea |
| Fabaceae: Faboideae | Hardenbergia violacea | False Sarsparilla |
| Fabaceae: Faboideae | Hovea linearis | |
| Fabaceae: Faboideae | Hovea longifolia | |
| Fabaceae: Faboideae | Indigofera australis | |
| Fabaceae: Faboideae | Kennedia rubicunda | Dusky Coral Pea |
| Fabaceae: Faboideae | Platylobium formosum | |
| Fabaceae: Faboideae | Podolobium ilicifolium Syn. Oxylobium ilicifolium | Native Holly |
| Fabaceae: Faboideae | Pultenaea villosa | |
| Fabaceae: Faboideae | Zornia dyctiocarpa | |
| Fabaceae: Mimosoideae | Acacia binervia | Coast Myall |
| Fabaceae: Mimosoideae | Acacia decurrens | Green Wattle |
| Fabaceae: Mimosoideae | Acacia falcata | Sickle-leaved Wattle |
| Fabaceae: Mimosoideae | Acacia falciformis | Broad-leaved Hickory |
| Fabaceae: Mimosoideae | Acacia fimbriata | Fringed Wattle |
| Fabaceae: Mimosoideae | Acacia floribunda | Sally Wattle |
| Fabaceae: Mimosoideae | Acacia longifolia var. longifolia | Sydney Golden Wattle |
| Fabaceae: Mimosoideae | Acacia mearnsii | Black Wattle |
| Fabaceae: Mimosoideae | Acacia myrtifolia | Myrtle Wattle |
| Fabaceae: Mimosoideae | Acacia paradoxa | Kangaroo Thorn |
| Fabaceae: Mimosoideae | Acacia parramattensis | Parramatta Green Wattle |
| Fabaceae: Mimosoideae | Acacia stricta | |
| Fabaceae: Mimosoideae | Acacia suaveolens | Sweet Wattle |
| Fabaceae: Mimosoideae | Acacia ulicifolia | Prickly Moses |
| Geraniaceae | Pelargonium inodorum | |
| Goodeniaceae | Goodenia hederacea | Ivy Goodenia |
| Goodeniaceae | Goodenia ovata | Goodenia |
| Goodeniaceae | Goodenia paniculata | Goodenia |
| Haloragaceae | Gonocarpus tetragynus | |
| Linaceae | Linum marginale | Native Flax |
| Lobeliaceae | Lobelia dentata | |
| Lobeliaceae | Pratia purpurascens | White Root |
| Loganiaceae | Logania albiflora | |
| Loranthaceae | Muellerina eucalyptoides | |
| Malvaceae | Brachychiton populneus | |
| Malvaceae | Lasiopetalum ferrugineum | Kurrajong |
| Malvaceae | Lasiopetalum parviflorum | Rusty Petals |
| Menispermaceae | Sarcopetalum harveyanum | |
| Moraceae | Ficus rubiginosa | Port Jackson Fig |
| Myoporaceae | Eremophila debilis | Winter Apple |

| | | |
|----------------|----------------------------------------------------------------|---------------------------|
| Myoporaceae | <i>Myoporum boninense</i> | |
| Myrsinaceae | <i>Rapanea variabilis</i> | Muttonwood |
| Myrtaceae | <i>Backhousia myrtifolia</i> | Grey Myrtle |
| Myrtaceae | <i>Callistemon salignus</i> | Willow Bottlebrush |
| Myrtaceae | <i>Corymbia gummifera</i> | Red Bloodwood |
| Myrtaceae | <i>Eucalyptus acmenoides</i> | White Mahogany |
| Myrtaceae | <i>Eucalyptus fibrosa</i> ssp. Fibrosa | Broad-leaved Ironbark |
| Myrtaceae | <i>Eucalyptus globoidea</i> | White Stringybark |
| Myrtaceae | <i>Eucalyptus haemastoma</i> | Scribbly Gum |
| Myrtaceae | <i>Eucalyptus longifolia</i> | Woollybutt |
| Myrtaceae | <i>Eucalyptus moluccana</i> | Grey Box |
| Myrtaceae | <i>Eucalyptus paniculata</i> | Grey Ironbark |
| Myrtaceae | <i>Eucalyptus pilularis</i> | Blackbutt |
| Myrtaceae | <i>Eucalyptus punctata</i> | Grey Gum |
| Myrtaceae | <i>Eucalyptus racemosa</i> | Hard-leaved Scribbly Gum |
| Myrtaceae | <i>Eucalyptus resinifera</i> ssp. <i>resinifera</i> | Red Mahogany |
| Myrtaceae | <i>Kunzea ambigua</i> | White Tick Bush |
| Myrtaceae | <i>Melaleuca decora</i> | Honeymyrtle |
| Myrtaceae | <i>Melaleuca nodosa</i> | Ball Honeymyrtle |
| Myrtaceae | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark |
| Myrtaceae | <i>Syncarpia glomulifera</i> | Turpentine |
| Oleaceae | <i>Notelaea longifolia</i> | Mock Olive |
| Onagraceae | <i>Epilobium</i> sp. | |
| Oxalidaceae | <i>Oxalis perennans</i> | |
| Passifloraceae | <i>Passiflora herbertiana</i> | Native Passionfruit |
| Phyllanthaceae | <i>Breynia oblongifolia</i> | Breynia |
| Phyllanthaceae | <i>Glochidion ferdinandi</i> var <i>ferdinandi</i> | Cheese Tree |
| Phyllanthaceae | <i>Phyllanthus gunnii</i> | Scrubby Spurge |
| Phyllanthaceae | <i>Phyllanthus hirtellus</i> | Thyme Spurge |
| Phyllanthaceae | <i>Phyllanthus virgatus</i> | |
| Phyllanthaceae | <i>Poranthera microphylla</i> | |
| Pittosporaceae | <i>Billardiera scandens</i> | Apple-berry |
| Pittosporaceae | <i>Bursaria spinosa</i> | Blackthorn |
| Pittosporaceae | <i>Pittosporum multiflorum</i> | Orange Thorn |
| Pittosporaceae | <i>Pittosporum revolutum</i> | Rough-fruited Pittosporum |
| Pittosporaceae | <i>Pittosporum undulatum</i> | Sweet Pittosporum |
| Polygonaceae | <i>Rumex brownii</i> | Mud Dock |
| Primulaceae | <i>Myrsine variabilis</i> (syn. <i>Rapanea variabilis</i>) | Muttonwood |
| Proteaceae | <i>Hakea dactyloides</i> | Finger Hakea |
| Proteaceae | <i>Hakea aff. propinqua</i> | |
| Proteaceae | <i>Hakea sericea</i> | Bushy Needlebush |

| | | |
|------------------|----------------------------------|-----------------------|
| Proteaceae | <i>Persoonia levis</i> | Broad-leaved Geebung |
| Proteaceae | <i>Persoonia linearis</i> | Narrow-leaved Geebung |
| Proteaceae | <i>Persoonia pinifolia</i> | Pine-leaved Geebung |
| Ranunculaceae | <i>Clematis aristata</i> | Old Man's Beard |
| Ranunculaceae | <i>Clematis glycinoides</i> | Forest Clematis |
| Rhamnaceae | <i>Pomaderris discolor</i> | Pomaderris |
| Rhamnaceae | <i>Pomaderris ferruginea</i> | Rusty Pomaderris |
| Rhamnaceae | <i>Pomaderris lanigera</i> | Woolly Pomaderris |
| Rosaceae | <i>Rubus parvifolius</i> | Native Raspberry |
| Rubiaceae | <i>Opercularia aspera</i> | |
| Rubiaceae | <i>Opercularia diphylla</i> | |
| Rubiaceae | <i>Opercularia hispida</i> | |
| Rubiaceae | <i>Opercularia varia</i> | |
| Rubiaceae | <i>Pomax umbellata</i> | Pomax |
| Rutaceae | <i>Boronia polygalifolia</i> | Milkwort Boronia |
| Rutaceae | <i>Correa reflexa</i> | |
| Rutaceae | <i>Zieria smithii</i> | Sandfly Zieria |
| Santalaceae | <i>Exocarpos cupressiformis</i> | Cherry Ballart |
| Sapindaceae | <i>Cupaniopsis anacardioides</i> | Tuckeroo (seedlings) |
| Sapindaceae | <i>Dodonaea triquetra</i> | Common Hop Bush |
| Scrophulariaceae | <i>Veronica plebeia</i> | Trailing Speedwell |
| Solanaceae | <i>Solanum aviculare</i> | Kangaroo Apple |
| Solanaceae | <i>Solanum prinophyllum</i> | Forest Nightshade |
| Stackhousiaceae | <i>Stackhousia viminea</i> | |
| Ulmaceae | <i>Trema tomentosa</i> | Native Peach |
| Verbenaceae | <i>Clerodendron tomentosum</i> | Hairy Clerodendrum |
| Vitaceae | <i>Cayratia clematidea</i> | Slender Grape |

MONOCOTYLEDONS

| | | |
|---------------|------------------------------------------------------|------------------------|
| Anthericaceae | <i>Arthropodium milleflorum</i> | Pale Vanilla Lily |
| Anthericaceae | <i>Laxmannia gracilis</i> | |
| Araceae | <i>Livistona australis</i> | Cabbage Palm |
| Commelinaceae | <i>Commelina cyanea</i> | |
| Cyperaceae | <i>Carex inversa</i> | |
| Cyperaceae | <i>Cyathochaeta diandra</i> | |
| Cyperaceae | <i>Cyperus polystachyos</i> | Sedge |
| Cyperaceae | <i>Gahnia aspera</i> | Saw Sedge |
| Cyperaceae | <i>Lepidosperma laterale</i> | Sword-sedge |
| Cyperaceae | <i>Schoenus apogon</i> | |
| Juncaceae | <i>Juncus polyanthemos</i> | |
| Lomandraceae | <i>Lomandra filiformis</i> ssp. <i>filiformis</i> | |
| Lomandraceae | <i>Lomandra glauca</i> | Mat Rush |
| Lomandraceae | <i>Lomandra longifolia</i> | Spiny-headed Mat Rush |
| Lomandraceae | <i>Lomandra multiflora</i> | Many-flowered Mat-rush |

| | | |
|------------------------------|------------------------------------------------------------------|-------------------------|
| Luzuriagaceae (Philesiaceae) | <i>Eustrephus latifolius</i> | Wombat Berry |
| Orchidaceae | <i>Caladenia carnea</i> | Pink Fingers |
| Orchidaceae | <i>Caladenia catenata</i> | White Fingers |
| Orchidaceae | <i>Calochilus campestris</i> | Copper Beard Orchid |
| Orchidaceae | <i>Calochilus gracillimus</i> | Late Beard Orchid |
| Orchidaceae | <i>Dipodium variegatum</i> | Hyacinth Orchid |
| Orchidaceae | <i>Microtis</i> sp. | |
| Orchidaceae | <i>Orthoceras strictum</i> | Horned Orchid |
| Orchidaceae | <i>Pterostylis concinna</i> | Trim Greenhood |
| Orchidaceae | <i>Pterostylis longifolia</i> | Tall Greenhood |
| Orchidaceae | <i>Thelymitra carnea</i> | Pink Sun Orchid |
| Orchidaceae | <i>Thelymitra pauciflora</i> | Slender Sun Orchid |
| Phormiaceae | <i>Dianella caerulea</i> var product | Blue Flax Lily |
| Phormiaceae | <i>Dianella longifolia</i> | Blue Flax Lily |
| Phormiaceae | <i>Dianella revoluta</i> | Blue Flax Lily |
| Poaceae | <i>Aristida ramosa</i> | Purple Wiregrass |
| Poaceae | <i>Aristida vagans</i> | Three-awned Spear Grass |
| Poaceae | <i>Aristida warburgii</i> | |
| Poaceae | <i>Austrodanthonia bipartita</i> Syn: <i>Danthonia linkii</i> | Wallaby Grass |
| Poaceae | <i>Austrodanthonia pilosa</i> | |
| Poaceae | <i>Austrodanthonia setacea</i> | |
| Poaceae | <i>Austrodanthonia tenuior</i> | Wallaby Grass |
| Poaceae | <i>Austrostipa pubescens</i> | Spear Grass |
| Poaceae | <i>Austrostipa rudis</i> ssp. <i>rudis</i> | Spear Grass |
| Poaceae | <i>Austrostipa ramosissima</i> | Spear Grass |
| Poaceae | <i>Austrostipa scabra</i> ssp. <i>falcata</i> | |
| Poaceae | <i>Bothriochloa macra</i> | Redleg Grass |
| Poaceae | <i>Capillipedium parviflorum</i> | Scented-top Grass |
| Poaceae | <i>Chloris ventricosa</i> | Windmill Grass |
| Poaceae | <i>Cymbopogon refractus</i> | Barbed Wire Grass |
| Poaceae | <i>Dichelachne micrantha</i> | Shorthair Plume Grass |
| Poaceae | <i>Digitaria diffusa</i> | Open Summer Grass |
| Poaceae | <i>Digitaria ramularis</i> | |
| Poaceae | <i>Echinopogon caespitosus</i> | Hedgehog Grass |
| Poaceae | <i>Echinopogon ovatus</i> | Forest Hedgehog Grass |
| Poaceae | <i>Elymus scaber</i> Syn. <i>Agropyron scabrum</i> | |
| Poaceae | <i>Entolasia marginata</i> | Bordered Panic |
| Poaceae | <i>Entolasia stricta</i> | Wiry Panic |
| Poaceae | <i>Eragrostis benthamii</i> | Lovegrass |
| Poaceae | <i>Eragrostis brownii</i> | Brown's Lovegrass |
| Poaceae | <i>Eragrostis leptostachya</i> | Lovegrass |
| Poaceae | <i>Eriochloa pseudoacrotricha</i> | Early Spring Grass |

| | | |
|-------------|------------------------------------------------------------------|----------------------|
| Poaceae | <i>Imperata cylindrica</i> var <i>major</i> | Blady Grass |
| Poaceae | <i>Lachnagrostis filiformis</i> Syn. <i>Agrostis avenacea</i> | Blown Grass |
| Poaceae | <i>Microlaena stipoides</i> var. <i>stipoides</i> | Weeping Meadow Grass |
| Poaceae | <i>Oplismenus aemulus</i> | Basket Grass |
| Poaceae | <i>Oplismenus imbecillis</i> | Basket Grass |
| Poaceae | <i>Panicum effusum</i> | Hairy Panic |
| Poaceae | <i>Panicum pygmaeum</i> | Pygmy Panic |
| Poaceae | <i>Panicum simile</i> | Two Colour Panic |
| Poaceae | <i>Paspalidium criniforme</i> | |
| Poaceae | <i>Paspalidium distans</i> | Paspalidium |
| Poaceae | <i>Poa labillardieri</i> | Tussock Grass |
| Poaceae | <i>Themeda australis</i> | Kangaroo Grass |
| Smilacaceae | <i>Smilax australis</i> | Native Sarsaparilla |
| Smilacaceae | <i>Smilax glyciphylla</i> | Sarsaparilla |